Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



U. S. Department of Agricultuse, Forest Service

FOREST PRODUCTS LABORATORY

In cooperation with the University of Wisconsin MADISON, WISCONSIN

List of Publications on

MECHANICAL PROPERTIES OF TIMBER

PUBLICATION LISTS OF THE FOREST PRODUCTS LABORATORY, FOREST SERVICE

Timber Mechanics

This list, which begins on page 3, includes publications that give the results of research by the Forest Products Laboratory on the strength of timber and factors affecting the strength, the design of wooden articles or parts where strength or resistance to external forces is of importance.

Other lists of publications dealing with the investigative projects of the Forest Products Laboratory are obtainable upon request. They are as follows:

Bexing and Crating

Strength and serviceability of shipping containers, methods of packing.

Derived Products

Chemical properties and uses of wood and chemical wood products, such as turpentine, alcohol, and acetic acid.

Glue, Plywood, and Coatings

Development of waterproof glues. Preparation and application of various glues. Plywood manufacturing problems. Coatings and methods of application.


Industrial Investigations

Methods and practices in the lumber producing and wood consuming industries; standard lumber grades, sizes, and nomenclature; production and use of small dimension stock; specifications for small wooden products; uses for little-used species and commercial woods; and low grade and wood waste surveys.

Pathology (In cooperation with the Bureau of Plant Industry)

Fungous diseases of trees; decay, molds, and stains in timber, in buildings, and in wood products; antiseptic properties of wood preservatives.

LO-2 200



Preservation

Preservative materials and methods of application.

Durability and service records of treated and untreated wood in various forms.

Pulp and Paper

Suitability of various woods for pulp and paper, fundamental principles underlying the pulping and bleaching processes; methods of technical control of these processes; relation of the chemical and physical properties of pulps and the relation of these properties to the paper making qualities of the pulps; waste in the industry, e.g., decay in wood and pulp, utilization of bark, white water losses, etc.

Timber Physics

Experimental and applied kiln drying, physical properties, air drying, steam bending.

Wood Technology

Identification of wood, effect on wood of turpentining and other extrinsic agencies, and structure of wood in relation to its properties.

The Forest Products Laboratory reserves the right to furnish only those publications, available for distribution, which in its judgment will furnish the information requested. Blanket requests or requests for a large number of copies of any individual article will not be filled except in unusual cases.

. . .

TECHNICAL NOTES

(Free on application to the Forest Products Laboratory)
(Please give both title and number when ordering)

No.	<u>Title</u>
B-1 B-4 B-5 B-7;	Three-piece Wing Beams as Strong as Solid Beams Two Simple Tests for Inspection of Airplane Struts Effect of Wrapping on the Strength of Airplane Struts Wagon and Implement Poles of Pine and Fir
B-11 B-12 B-14 B-15	Method of Determining Moisture Content of Wood Shrinkage in So-called "Compression Wood" Method of Determining the Specific Gravity of Wood Average Weights of Various Species of Wood
94 101 119 131 132	Suitability of Various Hickories for Vehicle Manufacture Comparative Value of Timber Cut From Live and Dead Trees Strength of Southern Pine and Douglas Fir Compared Properties of Ordinary Wood Compared with Plywood Effect of Varying the Number of Plies in Plywood
137 140 141 147 149	A Portable Electric Drier for Drying Kiln Samples Stresses in Laminated Wood Construction A Visual Method of Distinguishing Longleaf from Short leaf and Loblolly Pine Substitutes for Ash in Automobile Bodies Strength of Screw Fastenings in Plywood
153 158 171 180 189	"Virgin Growth" and "Second Growth" Lumber Value of Pine Trees not Affected by Turpentining Red Hickory as Strong as White Hickory Comparative Strength of Air Dried and Kiln Dried Wood Difference Between Heartwood and Sapwood
200 201 205	Basic Grading Rules for Structural Timbers Working Stresses for Structural Timbers Similarity of Defects in Lumber

REPRINTS AND MIMEOGRAPHED REPORTS

(Free on application to the Forest Products Laboratory)
(Please give both title and number when ordering)

No. Title

Built-up Southern Yellow Pine Timbers Tested for Strength

"Compression" Wood and Failure of Factory Roof-Beam

L4-285 Manufacture of Veneer

L4-543 Notes on the Manufacture of Plywood

Results of Some Strength Tests on Wooden Poles

Strength Tests of Screw Fastenings of Plywood

Strength of Mine Timbers

Structural Timbers - Defects and Their Influence on Strength

Variation in Weight and Strength of Timber

BULLETINS AND CIRCULARS

Some of the following publications may be purchased for the nominal prices indicated from the Superintendent of Pocuments, Government Printing Office, Washington, D.C. Send money order, drafts, or cash in United States money at sender's risk; stamps or personal checks are not accepted. Others marked "Supply Exhausted" at the time this list is issued can be consuited at many public libraries. In a number of cases they have been superseded by more recent publications.

Date o	f issue
"Basic Grading Rules and Working Stresses for Structural Timbers" - U.S.D.A.Cir.295 - 5 cents	1923
"Recommended Minimum Requirements for Small Dwelling Construction" - Report of Building Code Committee of Department of Commerce, Washington, D.C 15 cents	1923
"The Relation of Specific Gravity of Wood to Its Shrinkage and Its Strength Properties", - U.S.D.A.Bul, 676 - 10 cents	1919
"Lumber Used in the Manufacture of Wooden Products" - U.S.D.A.Bul.605 - 5 cents	1918
"Mechanical Properties of Woods Grown in the United States" - U.S.D.A.Bul.556 - 10 cents	1917
"Tests of Western Yellow Pine, Car Sills, Joists, and Small Clear Pieces" - U.S.D.A.Bul.497 - 5 cents	1917
"Strength Tests of Structural Timber Treated by Commercial Wood Preserving Processes", - U.S.D.A.Bul.286 - 5 cents	1915
"Tests of Rocky Mountain Woods for Telephone Poles", - U.S.D.A.Bul. 67 - 5 cents	1914
*"Rocky Mountain Mine Timbers", - U.S.D.A.Bul.77 - 5 cents	1914
*"Tests of Wooden Barrels", - U.S.D.A.Bul.86 - 5 cents	1914

^{*}Supply exhausted


L0-2

BULLETINS AND CIRCULARS (Continued)

	Date of issue
*"Mechanical Properties of Western Hemlock", F.S.Bul.115 - 15 cents	1913
*"Mechanical Properties of Western Larch", F.S.Bul.122 - 10 cents	1913
*"Mechanical Properties of Woods Grown in U. F.S.Cir.213 - 5 cents	1913
"Uses of Commercial Woods of U.S Beech, Birches, and Maples" - U.S.D.A.Bul.12 - 10 cents	1913
"Tests of Structural Timbers" - F.S.Bul.108 20 cents	1912
*"Fire-Killed Douglas Fir: A Study of Its Ra of Deterioration, Usability, and Strength" F.S.Bul.112 - 10 cents	
*"Strength Values of Structural Timbers" - F.S.Cir.189 - 5 cents	1912
"Mechanical Properties of Redwood" - F.S.Ci 193 - 5 cents	r. 1912
*"Strength Tests of Cross-Arms for Telephone Poles" - F.S.Cir.204 - 5 cents	1912
*"Uses of Commercial Woods of U.S Cedars, Cypresses, and Sequoias" - F.S.Bul.95 - 10 cents	1911
*"Uses of Commercial Woods of U.S Pines" F.S.Bul.99 - 15 cents	1911
*"Manufacture and Utilization of Hickory" - F.S.Cir.187 - 5 cents	1911
"Properties and Uses of Douglas Fir" - F.S. Bul.88 - 15 cents	1911
*"The Commercial Hickories" - F.S.Bul.80 - 15 cents	1910

^{*}Supply exhausted

LO-2 200



BULLETINS AND CIRCULARS (Continued)

	Date	of	issu	e
"Properties and Uses of Southern Pines" - F.S Cir.164 - 5 cents	•	19		
*"Tests of Vehicle and Implement Woods" - F.S. Cir.142 - 5 cents		19	_	
*"Experiments on Strength of Treated Timber" - F.S.Cir.39 - 5 cents		19	08	
"Holding Force of Railroad Spikes in Wooden Ties" - F.S.Cir.46 - 5 cents		19	06	
*"Effect of Moisture on Strength and Stiffness of Wood" - F.S.Bul.70 - 15 cents		19	06	
"Red Gum, With Discussion of Mechanical Pro- perties of Red Gum Wood" - F.S.Bul.58 - 15 cents		19		

^{*}Supply exhausted

ARTICLES IN TRADE AND TECHNICAL PRESS

Copies of these articles are not available for distribution at the Forest Products Laboratory, except certain ones which are included in the list of mimeographed reports and reprints. All of these references can be consulted in the original publications.

	•		
Title	Author	: Where published	Date
The Strength of Mine Timbers			Feb., 1924
The Strength of Mine Timbers	• • • • • • • • • • • • • • • • • • •	McGraw-Hill Mining Magazine	11
Structural Timbers - Defects and Their Influence on St Strength	and	Proceedings of the American Society for Testing Mate- rials, 1924	1924
Built-up Southern Yellow Pine Timbers Tested for Strength		:Nat'l Lumber Mfrs. :Ass'n Wood Construc : tion Service	
When Ice Breaks the Poles	Heck, G. E.	:Telephone Engineer	Feb.,
Strength Tests of Screw Fastenings of Plywood	•		:Feb.21, :1921
Effect of Spiral Grain on the Strength of Wood	:Wilson, T.R.C.	:Journal of Forestry	Nov.,:1921
The Properties of Western Tie Woods	:Hicks,P.R.	:Railway Waintenance :Engineer	Dec.,
Testing Strength of Airplane Wing Ribs 55 to 96 in.	——————————————————————————————————————	:Automotive Indus- :tries	:July 31, :1919
L0-2	•	8_	•

Title	Author	: Where published	: Date
The Mechanical Properties of Plywood	•	Veneers	:Aug.
Pitch Pockets and Their Relation to the Inspection of Airplane Parts	Watkins, J.R.	:Journal of the :Franklin Institute	:Aug. :1919
The Antiquity of Various Iron and Wood Planking Fast- enings for Wooden Ships	Armstrong, A.K.		

A of the contract of the contr		A CONTRACTOR OF A CONTRACTOR O	
Title	Author	Where published	Date
Tests on Thin Ply- wood as a Substi- tute for Linen in Aeroplane Construc- tion		Aerial Age Weekly	Sept.1,1919
"Compression" Wood and Failure of Factory Roof-Beam	· ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	Engineering News Record	Sept.11,1919
The Suitability of Various Woods for Use in Heavy Wagons	·	Southern Lumberman	Dec.20,1919
Fourth Progress Report on Tests of Treated Ties		:American Ry Eng.and :Maintenance of Way :Ass'n Bul.124	
Splintering Properties of Airplane Woods	Heck,G.E.	:Automotive Indus- :tries	June 5,1919
Emergency Seasoning of Sitka Spruce	Welo,L.A.	Scientific American Supplement No. 2269	
A Discussion of the Effects of Kiln Dry ing on the Strength Value of Douglas Fir	: / 1	American Lumberman	July 5,1919
Mechanical Test Made on Plywood	:Markwardt,L.J. :& Elmendorf,A.	:Hardwood Record	July 10,1919
Factors Affecting Warping of Plywood	:Elmendorf,A:	:Hardwood Record	July 25,1919
Tests Made to Deter mine Lateral Resist ance of Wire Nails	•	Engineering Record	:Feb.24,1917
Variation in Weight and Strength of Timber	Newlin,J.A.	:American Lumberman :Southern Lumberman :Lumber World Review :St.Louis Lumberman :Miss.Valley Lumber-	:Jan.22,1916 :Jan.25,1916 :Jan.1916
	:	: man	:1916

And the second s	• •		
Title	Author	Where published	Date
Greenheart	Armstrong, A.K.	Engineering Record	Jan.29 and Feb.5,1916
	Betts, H.S. and Newlin, J.A.	Railway Review	Feb.19,1916
The Need of a Qual- ity Classification for Douglas Fir	ŕ	Proc.of the 19th Annual Meeting of the Amer.Soc.for Test- ing Materials	
The Important Pil- ing Timbers of Australasia	Armstrong, A.K.	Engineering	Nov.17,1916
Grading Rules of Yellow Pine Struc- tural Timber Dis- cussed	Betts,H.S.	American Lumberman	Apr.24,1915
Discussion of proposed Forest Service Rules for Grading Strength of Southern Pine Structural Timber		Proc. of the 18th Annual Meeting of the Amer. Soc. for Test- ing Materials	•
Structural Timber in the U.S.	Betts, H.S. and Greeley, W.B.	International Eng. Cong., San Fran. Cal.	Sept.20-25,
A Few Deductions from Strength Tests of American Woods		American Lumberman	Jan.16,1915
What Determines the Strength of South- ern Yellow Pine	Weiss, H.F.	American Lumberman	▼ 1
Effect of Different Methods of Drying on the Strength of Wood	:	Lumber World Review	Apr.10,1915

Title	Author	: Where published	Date
The Protection of Ties from Mechanical Destruction	:Weiss,H.F.	:Proc.American Wood :Preservers' Ass'n	Jan., 1914
Factors Affecting Structural Timbers	Betts, H.S.		Aug.29, 1914
Applicability of Yellow Pine Grading Rules to Other Tim- bers	:		Oct.3, 1914
Compression Fail- ures as Defects	Markwardt,L.J.		Oct.25,
Air Seasoning of Timber	:Kempfer,W.H.	:Amer,Ry,Eng,Ass'n :Bulletin 161	Nov., 1913

Reports of the National Advisory Committee for Aeronautics

Copies of the following reports will be sent free upon application to National Advisory Committee for Aeronautics, Washington, D.C.

"The Effect of Kiln Drying on the Strength of Airplane Woods" - Report No.68.

"Data on the Design of Plywood for Aircraft" - Report No.84.

"Deflection of Beams with Special Reference to Shear Deformations" - Report No. 180.

"Form Factors of Beams Subjected to Transverse Loading Only" - Report No. 181.

"Stresses in Wood Members Subjected to Combined Column and Beam Action" - Report No. 188.